

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/710,939	08/13/2004	Daniel W. Jones	34926-CIP1	7941
23589 7590 01/05/2006			EXAMINER	
HOVEY WILLIAMS LLP			TRIEU, THAI BA	
	D BLVD., SUITE 400 ΓΥ. ΜΟ 64108	ART UNIT	PAPER NUMBER	
KANSAS CI	11, MO 04108		3748	

DATE MAILED: 01/05/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

		A	oplication No.	Applicant(s)				
Office Action Summary		1	0/710,939	JONES ET AL.				
			kaminer	Art Unit				
		Th	nai-Ba Trieu	3748				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply								
A SHOWHIC - Exter after - If NO - Failu Any r	ORTENED STATUTORY PERIOD F CHEVER IS LONGER, FROM THE M resions of time may be available under the provisions SIX (6) MONTHS from the mailing date of this common period for reply is specified above, the maximum stree to reply within the set or extended period for reply reply received by the Office later than three months and patent term adjustment. See 37 CFR 1.704(b).	IAILING DATE of 37 CFR 1.136(a) nunication. atutory period will ap will, by statute, caus	OF THIS COMMUNICATION In no event, however, may a reply be timely and will expire SIX (6) MONTHS from the application to become ABANDONE	l. ely filed the mailing date of this communication. 0 (35 U.S.C. § 133).				
Status								
1)⊠	Responsive to communication(s) file	ed on <u>17 Nove</u>	<u>mber 2005</u> .					
2a) <u></u> □	This action is FINAL . 2b)⊠ This action is non-final.							
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims								
4) ☐ Claim(s) 1-27 and 30-72 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) ☐ Claim(s) 1-10,14,15,17-24,26,30,32-36,39-56,60,61 and 63-69 is/are allowed. 6) ☐ Claim(s) 11-13,16,25,27,31,37,38,57-59, 62 and 70-72 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or election requirement.								
Applicati	on Papers							
9)□	The specification is objected to by th	e Examiner.						
•	10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.							
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority u	، nder 35 U.S.C. § 119							
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 								
Attachment	t(s)							
1) Notic	e of References Cited (PTO-892)		4) Interview Summary	(PTO-413)				
3) 🛛 Inform	e of Draftsperson's Patent Drawing Review (F nation Disclosure Statement(s) (PTO-1449 or r No(s)/Mail Date <u>11/09/2005</u> .		Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:	te atent Application (PTO-152)				

Application/Control Number: 10/710,939 Page 2

Art Unit: 3748

DETAILED ACTION

This Office Action is in response to the Amendment filed on November 17, 2005. Applicant's cooperation in correcting the informalities in the specification and abstract is appreciated. Applicant's cooperation in amending the claims to overcome the indefinite claim language is also appreciated.

Claims 1-3, 5, 11, 13, 16-18, 20, 23-27, 31, 37, 39, 41, 44, 47-49, 51, 57, 59, 62-64, 66, and 69 were amended; claims 70-72 were added; and claims 28 and 29 were cancelled. Upon the reconsideration, the indicated allowable subject matter of claims 11-13, 16, 25, 27, 37, 57-59, and 62 has been withdrawn. A new Non-Final rejection set forth below.

Claim Objections

Claims 24-25, 27, 30-31, 37 and 51 are objected to because of the following informalities:

- In claim 24, line 14, "power source" should be replaced by power source shaft (for consistency).
- In claim 30, line 1, "claim 28" after "The method as claimed in" should be replaced by claim 24 --, since claim 28 has been cancelled by the Amendment filed on November 17, 2004.
- In claim 25, 27, 31, and 37, lines 3-4, "off of" after "compressor" should be replaced by -- by --.

Appropriate correction is required.

Application/Control Number: 10/710,939

Art Unit: 3748

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 11-13, 16, 25, 27, 31, 37-38, 57-59, 62, and 70-72 are rejected under 35 U.S.C. 103(a) as being unpatentable over Buchi (Patent Number 2,296,268), in view of Poole (Patent Number 4,086,019).

Buchi discloses a multiphase compressing air assembly for supplying compressed air to a system (20), said assembly / an improved centrifugal air compressing system comprising:

a first compressor (13) drivingly connectable to the crankshaft (10) and operable to compress air for the system/the tubing (See Figure 3),

said first compressor (13) including a first inlet, (not Numbered) a spaced first outlet (via 22), and a first impeller (26) fluidly between the first inlet and first outlet to compress air (See Figure 3);

a second compressor (15) (See Figure 3),

said second compressor (15) including a second inlet (23), a spaced second outlet (Not Numbered), and a second impeller (Not numbered) fluidly between the second inlet and second outlet to compress air for the system/the tubing (See Figure 3);

a fluid flow control assembly (28, 29) fluidly intercommunicating the superchargers (13, 15) so that the compressors cooperatively provide induction fluid to

Application/Control Number: 10/710,939

Art Unit: 3748

the system in a number of operating phases, including a first phase in which at least some compressed air from the first outlet is supplied to the second inlet and a second phase in which at least some compressed air from the first and second outlets is supplied to the system without passing through the other compressor (See Figure 3);

said first and second impellers (13, 15) being rotatable, each being operable to compress induction fluid for the system/the tubing when rotated (See Figure 3);

said fluid flow control assembly (28, 29) fluidly intercommunicating the superchargers so that in all operating phases both superchargers compress at least some air for the system whenever the power source is rotating (See Figure 3);

said fluid flow control assembly being operable to fluidly intercommunicate the compressors with the system so that in all operating phases substantially all of the induction fluid compressed by each of the compressors is delivered to the system/the tubing (20);

said first phase including a series phase in which substantially all compressed air from the first outlet is supplied to the second inlet (See Figure 3);

said second phase including a parallel phase in which substantially all compressed air from the first and second outlets is supplied directly to the system/the tubing (See Figure 3);

said fluid flow control assembly (28, 29) being configured to switch operation of the compressors from the series phase to the parallel phase in response to a predetermined condition (See Figure 3);

Application/Control Number: 10/710,939

Art Unit: 3748

said predetermined condition being a decrease in pressure in the system downstream of the first and second compressors (Page 4, Column 1, lines 71-75, and Column 2, lines 1-42);

said fluid flow control assembly (28, 29) being configured to switch operation of the compressors from the parallel phase to the series phase in response to a predetermined condition (See Figure 3);

said predetermined condition being an increase in pressure in the system/tubing downstream of the first and second compressors (Page 4, Column 1, lines 71-75, and Column 2, lines 1-42);

said flow control assembly (28, 29) including a passageway (22) fluidly communicating said first outlet and said second inlet, said flow control assembly (28, 29) further including a first valve (28) disposed along said passageway (22) for controlling the flow of compressed air there through (See Figure 3); and

said first valve (28) shiftable between an open position wherein compressed air is permitted flow through said passageway and a closed position wherein compressed air is prevented from flowing through said passageway (See Figure 3, Page 2, Column 1, lines 44-75, Column 2, lines 1-54).

However, Buchi fails to disclose a second compressor drivingly connectable to the crankshaft and operable to compress air for the system/the tubing; and a case presenting a compression chamber and a transmission chamber; an intermeshing common gear; and en endless element.

Art Unit: 3748

Poole teaches that it is conventional in the transmission means for the art of centrifugal compressors, to utilize a second compressor (15, 16) drivingly connectable to the power source (21, 27); a drive assembly (26, 45) operable to drivingly connect the compressors to the power source (21, 27) so that each of the compressors (15, 16) operates continuously with rotation of the power source (See Figure 1a) and operable to compress air for the system/the tubing (See Figure 1a); a case (22) presenting a compression chamber and a transmission chamber; said first and second compressors being at least partially housed within said compression chamber; an intermeshing common gear (45) between the compressors (15, 16) (See Figure 1a); and an endless element (27) around at least a portion of the power source (21) and driving the common gear (45) at least in part with the endless element (See Figure 1a; Column 6, lines 29-60).

It would has been obvious to one having ordinary skill in the art at that time the invention was made, to have utilized a second compressor drivingly connectable to the power source and operable to compress induction fluid for the engine; a case presenting a compression chamber and a transmission chamber; an intermeshing common gear; and en endless element, as taught by Poole, to improve the control of both turbochargers/superchargers/compressors in the Buchi device.

Claims 1-10, 14-15, 17-23, 24, 26, 30, 32-36, 39-46, 47-56; 60-61 and 63-69 are

allowed.

The following is an examiner's statement of reasons for allowance: The prior art

fails to disclose or renders obvious the claimed combination of a multiphase centrifugal

supercharger air induction system and a method of supplying compressed induction

fluid comprising a first compressor, a second compressor, and a fluid flow control

assembly fluidly inter-communicating so that the compressors cooperatively provide

fluid to the engine in a number of operating phases, including a first phase in which at

least some induction fluid from the first outlet is supplied to the second inlet and a

second phase in which at least some induction fluid from the first and second outlets is

supplied to the intake manifold without passing through the other compressor, including:

' Regarding claims 1, 5, 24, 47, and 51:

said first and second compressors being drivingly connectable to the crankshaft wherein both of the impellers are rotated continuously by the

crankshaft and at a substantially constant relative speed to the crankshaft during

the operating phases of the compressors.

Regarding claims 17, 39, and 63:

all the limitations in claim 1 and further including:

said induction fluid flow control assembly including an additional passageway in fluid communication with said first outlet and operable to be in fluid communication with the intake/with said first outlet and the tubing, and

further including a second valve disposed along said additional passageway

downstream of said first mentioned passageway for controlling the flow of induction fluid through said additional passageway."

Conclusion

The IDS (PTO-1449) filed on November 09, 2002 has been considered. An initialized copy is attached hereto.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- Czechowski et al. (Patent Number 6,488,467 B2) integrally cast volute style scroll and gearbox for multi-stage compressors.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thai-Ba Trieu whose telephone number is (571) 272-4867. The examiner can normally be reached on Monday - Thursday (6:30-5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas E. Denion can be reached on (571) 272-4859. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for

Page 9

Application/Control Number: 10/710,939

Art Unit: 3748

published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TTB December 30, 2005

Thai-Ba Trieu Primary Examiner Art Unit 3748